

SUPPLEMENT No. 2 to F.E.R.C. No. 71
(Issued in lieu of Supplement No.1 which was withdrawn)
Corrects F.E.R. C. No. 71

CORRECTION SUPPLEMENT

Mobil Eugene Island Pipeline Company [C] (Mobil)

QUALITY BANK POLICY FOR THE EUGENE ISLAND PIPELINE SYSTEM

GENERAL APPLICATION

This tariff shall apply only to those tariffs which specifically incorporate this tariff, supplements hereto or successive reissues thereof, by reference.

NOTE THE FOLLOWING CORRECTIONS

1) *The statement on the title page that reads "This tariff brings forward ExxonMobil Pipeline Company's F.E.R.C. No. 111 unchanged" is incorrect.*

The correct statement should read" This tariff brings forward Mobil Eugene Island Pipeline Company's F.E.R.C. No. 61 unchanged."

2) *The word "Mobil" shown parenthetically, on this title page, as part of the carrier's name is cancelled.*

Issued on three day's notice under authority of 18 CFR 341.14 special permission. This tariff is conditionally accepted subject to refund pending a 30-day review period.

ISSUED: SEPTEMBER 29, 2005

EFFECTIVE: OCTOBER 3, 2005

The provisions published herein will, if effective, not result in an effect on the quality of the human environment.

Issued By:
Thomas J. Martenak, President
Mobil Eugene Island Pipeline Company
P.O. Box 2220
Houston, TX 77252-2220

Compiled By:
A. J. Signater
P.O. Box 2220
Houston, Texas 77252-2220
(713) 656-4968
Fax (713) 656-9586

[C] Chevron Pipe Line Company (Chevron)
[C] Conoco Offshore Pipe Line Company (Conoco)
[C] ExxonMobil Pipeline Company (ExxonMobil)
[C] Marathon Pipe Line LLC (Marathon)
Mobil Eugene Island Pipeline Company (Mobil)
[C] Shell Pipeline Company LP (Shell)

**QUALITY BANK POLICY
FOR THE
EUGENE ISLAND PIPELINE SYSTEM**

GENERAL APPLICATION

This tariff shall apply only to those tariffs which specifically incorporate this tariff, supplements hereto or successive reissues thereof, by reference.

This tariff brings forward ExxonMobil Pipeline Company's F.E.R.C. No. 111 unchanged.

The provisions published herein will, if effective, not result in an effect on the quality of the human environment.

ISSUED: SEPTEMBER 2, 2005

EFFECTIVE: OCTOBER 3, 2005

Issued By:
[W] Thomas J. Martenak, President
Mobil Eugene Island Pipeline Company
P.O. Box 2220
Houston, TX 77252-2220

Compiled By:
[W] A. J. Signater
P.O. Box 2220
Houston, Texas 77252-2220
(713) 656-4968
Fax (713) 656-9586

TABLE OF CONTENTS

| EXPLANATION | <u>Page No.</u> |
|-------------------------------------|-----------------|
| EXHIBIT "A" - Gravity Differentials | 3 |
| EXHIBIT "B" - Sulfur Differentials | 4 |
| EXHIBIT "C" - Ratio Factors | 6 |
| EXHIBIT "D" - Sample Calculation | 8 |
| | 10 |

[C] Issued By

[C] J. R. Blackwell, President
Chevron Pipe Line Company
P.O. Box 4879
Houston, TX 77210-4879

[C] G. J. Misoyianis, President
Marathon Pipe Line LLC
539 South Main Street
Findlay, OH 45840

[C] Greg N. Constien, President
Conoco Offshore Pipe Line Company
P.O. Box 2197
Houston, TX 77252-2197

[C] Mike P. Tudor, President
Mobil Eugene Island Pipe Line Company
P.O. Box 2220
Houston, TX 77252-2220

[C] Mike P. Tudor, President
ExxonMobil Pipeline Company
P.O. Box 2220
Houston, TX 77252-2220

[C] Stacy P. Methvin, President
Shell Pipeline Company LP
Operator of
Eugene Island Pipeline System
P.O. Box 2648
Houston, TX 77252

EXPLANATION

Gravity and Sulfur Bank - Shippers will be required, as a condition of tendering, to participate in a Gravity and Sulfur Bank.

The tables of gravity and sulfur differential values per barrel as attached hereto as Exhibits A and B are incorporated herein and made a part of these Rules.

The weighted average gravity differential value per barrel (for two or more gravities of crude petroleum), as hereinafter referred to, shall be obtained in the following manner: Multiply the gravity differential values per barrel by the number of barrels to which such gravity differential values are applicable and then divide the total of the resultant gravity differential values in dollars and cents by the total of the applicable barrels.

Applicable barrels and gravities shall be the net barrels at 60° Fahrenheit (with no deduction for loss allowance) and the gravities recorded by the Operator at points where it customarily records gravities and quantities.

The weighted average sulfur differential value per barrel (for two or more sulfur contents of crude petroleum), as hereinafter referred to, shall be obtained in the following manner: Multiply the sulfur differential values per barrel by the number of barrels to which such sulfur differential values are applicable and then divide the total of the resultant sulfur differential values in dollars and cents by the total of the applicable barrels.

Applicable barrels and sulfur content shall be the net barrels at 60° Fahrenheit (with no deduction for loss allowance) and the sulfur content recorded by a competent laboratory for samples obtained by the Operator at points where it customarily measures and samples receipts for custody transfer.

Sulfur content as furnished by the laboratory at the true gravity shall be adjusted to reflect its comparison to the reference crude at 35.5° gravity. The adjustment to the test sulfur content shall be made by establishing a ratio of weight per gallon for the gravity of the sample to weight per gallon for the gravity of the reference crude of 35.5° gravity. The Table of Ratio Factors for Sulfur Adjustments is attached hereto as Exhibit "C" and made a part of these rules.

The ratio thus obtained will be applied against the tested sulfur content of the sample to obtain the adjusted sulfur content (gravity ratio x tested sulfur content = adjusted sulfur content). The adjusted sulfur content will then be used to obtain the sulfur differential value per barrel from the table of sulfur differential values per barrel (Exhibit "B").

Adjustment between shippers shall be computed as follows:

- I. Compute the weighted average gravity differential value per barrel of the barrels received from each Shipper.
Compute the weighted average sulfur differential value per barrel of the barrels received from each Shipper.
- II. Compute the weighted average gravity differential value per barrel of the composite common stream receipts.
 - A. If the weighted average gravity differential value per barrel of a shipper as so determined under Paragraph I above shall be greater than the weighted average gravity differential value per barrel of the aforementioned common stream crude petroleum as determined under Paragraph II, the difference in cents per barrel shall be calculated and Shipper shall be credited an amount calculated by multiplying said difference in gravity differential value per barrel by the applicable barrels.
 - B. If the weighted average gravity differential value per barrel of a shipper is less than the weighted average gravity differential value per barrel of the aforementioned common stream crude petroleum, the difference shall be calculated as above outlined and Shipper debited for such difference.
- III. Compute the weighted average sulfur differential value per barrel of the composite common stream receipts.
 - A. If the weighted average sulfur differential value per barrel of a shipper as so determined under Paragraph I above shall be greater than the weighted average sulfur differential value per barrel of the aforementioned common stream crude petroleum as determined under Paragraph II, the difference in cents per barrel shall be calculated and Shipper shall be debited an amount calculated by multiplying said difference in sulfur differential value per barrel by the applicable barrels.
 - B. If the weighted average sulfur differential value per barrel of a shipper is less than the weighted average sulfur differential value per barrel of the aforementioned common stream crude petroleum, the difference shall be calculated as above outlined and Shipper shall be credited for such difference.

A sample calculation is attached as Exhibit "D".

These calculations shall be made for each calendar month and the algebraic sum of the adjustments for the System shall be zero ± One Dollar. If a Shipper shall have a net debit balance in combining the two adjustments made above, the balance shall be remitted to the clearinghouse within fifteen (15) days from receipt of statement of such debit. If Shipper shall have a credit, the clearinghouse shall remit the amount thereof after receipt by the clearinghouse of the sums from those shippers having debits as calculated above.

[U] All rates on this page remain unchanged.

EIPS QUALITY BANK POLICY

EXHIBIT "A"
ADJUSTMENT AUTHORIZATION

TABLES OF DIFFERENTIALS FOR USE IN DETERMINING ADJUSTMENTS FOR
DIFFERENCE IN GRAVITY OF CRUDE PETROLEUM IN
EUGENE ISLAND PIPELINE SYSTEM COMMON STREAM EUGENE ISLAND CRUDE

| API GRAVITY | DIFF. PER BBL | API GRAVITY | DIFF. PER BBL | API GRAVITY | DIFF. PER BBL | API GRAVITY | DIFF. PER BBL |
|-------------|---------------|-------------|---------------|-------------|---------------|-------------|---------------|
| 10.0 | 1.250 | 16.0 | 2.150 | 22.0 | 3.050 | 28.0 | 3.950 |
| 10.1 | 1.265 | 16.1 | 2.165 | 22.1 | 3.065 | 28.1 | 3.965 |
| 10.2 | 1.280 | 16.2 | 2.180 | 22.2 | 3.080 | 28.2 | 3.980 |
| 10.3 | 1.295 | 16.3 | 2.195 | 22.3 | 3.095 | 28.3 | 3.995 |
| 10.4 | 1.310 | 16.4 | 2.210 | 22.4 | 3.110 | 28.4 | 4.010 |
| 10.5 | 1.325 | 16.5 | 2.225 | 22.5 | 3.125 | 28.5 | 4.025 |
| 10.6 | 1.340 | 16.6 | 2.240 | 22.6 | 3.140 | 28.6 | 4.040 |
| 10.7 | 1.355 | 16.7 | 2.255 | 22.7 | 3.155 | 28.7 | 4.055 |
| 10.8 | 1.370 | 16.8 | 2.270 | 22.8 | 3.170 | 28.8 | 4.070 |
| 10.9 | 1.385 | 16.9 | 2.285 | 22.9 | 3.185 | 28.9 | 4.085 |
| 11.0 | 1.400 | 17.0 | 2.300 | 23.0 | 3.200 | 29.0 | 4.100 |
| 11.1 | 1.415 | 17.1 | 2.315 | 23.1 | 3.215 | 29.1 | 4.115 |
| 11.2 | 1.430 | 17.2 | 2.330 | 23.2 | 3.230 | 29.2 | 4.130 |
| 11.3 | 1.445 | 17.3 | 2.345 | 23.3 | 3.245 | 29.3 | 4.145 |
| 11.4 | 1.460 | 17.4 | 2.360 | 23.4 | 3.260 | 29.4 | 4.160 |
| 11.5 | 1.475 | 17.5 | 2.375 | 23.5 | 3.275 | 29.5 | 4.175 |
| 11.6 | 1.490 | 17.6 | 2.390 | 23.6 | 3.290 | 29.6 | 4.190 |
| 11.7 | 1.505 | 17.7 | 2.405 | 23.7 | 3.305 | 29.7 | 4.205 |
| 11.8 | 1.520 | 17.8 | 2.420 | 23.8 | 3.320 | 29.8 | 4.220 |
| 11.9 | 1.535 | 17.9 | 2.435 | 23.9 | 3.335 | 29.9 | 4.235 |
| 12.0 | 1.550 | 18.0 | 2.450 | 24.0 | 3.350 | 30.0 | 4.250 |
| 12.1 | 1.565 | 18.1 | 2.465 | 24.1 | 3.365 | 30.1 | 4.265 |
| 12.2 | 1.580 | 18.2 | 2.480 | 24.2 | 3.380 | 30.2 | 4.280 |
| 12.3 | 1.595 | 18.3 | 2.495 | 24.3 | 3.395 | 30.3 | 4.295 |
| 12.4 | 1.610 | 18.4 | 2.510 | 24.4 | 3.410 | 30.4 | 4.310 |
| 12.5 | 1.625 | 18.5 | 2.525 | 24.5 | 3.425 | 30.5 | 4.325 |
| 12.6 | 1.640 | 18.6 | 2.540 | 24.6 | 3.440 | 30.6 | 4.340 |
| 12.7 | 1.655 | 18.7 | 2.555 | 24.7 | 3.455 | 30.7 | 4.355 |
| 12.8 | 1.670 | 18.8 | 2.570 | 24.8 | 3.470 | 30.8 | 4.370 |
| 12.9 | 1.685 | 18.9 | 2.585 | 24.9 | 3.485 | 30.9 | 4.385 |
| 13.0 | 1.700 | 19.0 | 2.600 | 25.0 | 3.500 | 31.0 | 4.400 |
| 13.1 | 1.715 | 19.1 | 2.615 | 25.1 | 3.515 | 31.1 | 4.415 |
| 13.2 | 1.730 | 19.2 | 2.630 | 25.2 | 3.530 | 31.2 | 4.430 |
| 13.3 | 1.745 | 19.3 | 2.645 | 25.3 | 3.545 | 31.3 | 4.445 |
| 13.4 | 1.760 | 19.4 | 2.660 | 25.4 | 3.560 | 31.4 | 4.460 |
| 13.5 | 1.775 | 19.5 | 2.675 | 25.5 | 3.575 | 31.5 | 4.475 |
| 13.6 | 1.790 | 19.6 | 2.690 | 25.6 | 3.590 | 31.6 | 4.490 |
| 13.7 | 1.805 | 19.7 | 2.705 | 25.7 | 3.605 | 31.7 | 4.505 |
| 13.8 | 1.820 | 19.8 | 2.720 | 25.8 | 3.620 | 31.8 | 4.520 |
| 13.9 | 1.835 | 19.9 | 2.735 | 25.9 | 3.635 | 31.9 | 4.535 |
| 14.0 | 1.850 | 20.0 | 2.750 | 26.0 | 3.650 | 32.0 | 4.550 |
| 14.1 | 1.865 | 20.1 | 2.765 | 26.1 | 3.665 | 32.1 | 4.565 |
| 14.2 | 1.880 | 20.2 | 2.780 | 26.2 | 3.680 | 32.2 | 4.580 |
| 14.3 | 1.895 | 20.3 | 2.795 | 26.3 | 3.695 | 32.3 | 4.595 |
| 14.4 | 1.910 | 20.4 | 2.810 | 26.4 | 3.710 | 32.4 | 4.610 |
| 14.5 | 1.925 | 20.5 | 2.825 | 26.5 | 3.725 | 32.5 | 4.625 |
| 14.6 | 1.940 | 20.6 | 2.840 | 26.6 | 3.740 | 32.6 | 4.640 |
| 14.7 | 1.955 | 20.7 | 2.855 | 26.7 | 3.755 | 32.7 | 4.655 |
| 14.8 | 1.970 | 20.8 | 2.870 | 26.8 | 3.770 | 32.8 | 4.670 |
| 14.9 | 1.985 | 20.9 | 2.885 | 26.9 | 3.785 | 32.9 | 4.685 |
| 15.0 | 2.000 | 21.0 | 2.900 | 27.0 | 3.800 | 33.0 | 4.700 |
| 15.1 | 2.015 | 21.1 | 2.915 | 27.1 | 3.815 | 33.1 | 4.715 |
| 15.2 | 2.030 | 21.2 | 2.930 | 27.2 | 3.830 | 33.2 | 4.730 |
| 15.3 | 2.045 | 21.3 | 2.945 | 27.3 | 3.845 | 33.3 | 4.745 |
| 15.4 | 2.060 | 21.4 | 2.960 | 27.4 | 3.860 | 33.4 | 4.760 |
| 15.5 | 2.075 | 21.5 | 2.975 | 27.5 | 3.875 | 33.5 | 4.775 |
| 15.6 | 2.090 | 21.6 | 2.990 | 27.6 | 3.890 | 33.6 | 4.790 |
| 15.7 | 2.105 | 21.7 | 3.005 | 27.7 | 3.905 | 33.7 | 4.805 |
| 15.8 | 2.120 | 21.8 | 3.020 | 27.8 | 3.920 | 33.8 | 4.820 |
| 15.9 | 2.135 | 21.9 | 3.035 | 27.9 | 3.935 | 33.9 | 4.835 |

[U] All rates on this page remain unchanged.

EIPS QUALITY BANK POLICY

EXHIBIT "A" CONT.
ADJUSTMENT AUTHORIZATION

TABLES OF DIFFERENTIALS FOR USE IN DETERMINING ADJUSTMENTS FOR
DIFFERENCE IN GRAVITY OF CRUDE PETROLEUM IN
EUGENE ISLAND PIPELINE SYSTEM COMMON STREAM EUGENE ISLAND CRUDE

| API GRAVITY | DIFF. PER BBL | API GRAVITY | DIFF. PER BBL | API GRAVITY | DIFF. PER BBL | API GRAVITY | DIFF. PER BBL |
|-------------|---------------|-------------|---------------|-------------|---------------|-------------|---------------|
| 34.0 | 4.850 | 40.0 | 5.100 | 46.0 | 4.950 | 52.0 | 4.050 |
| 34.1 | 4.865 | 40.1 | 5.100 | 46.1 | 4.935 | 52.1 | 4.035 |
| 34.2 | 4.880 | 40.2 | 5.100 | 46.2 | 4.920 | 52.2 | 4.020 |
| 34.3 | 4.895 | 40.3 | 5.100 | 46.3 | 4.905 | 52.3 | 4.005 |
| 34.4 | 4.910 | 40.4 | 5.100 | 46.4 | 4.890 | 52.4 | 3.990 |
| 34.5 | 4.925 | 40.5 | 5.100 | 46.5 | 4.875 | 52.5 | 3.975 |
| 34.6 | 4.940 | 40.6 | 5.100 | 46.6 | 4.860 | 52.6 | 3.960 |
| 34.7 | 4.955 | 40.7 | 5.100 | 46.7 | 4.845 | 52.7 | 3.945 |
| 34.8 | 4.970 | 40.8 | 5.100 | 46.8 | 4.830 | 52.8 | 3.930 |
| 34.9 | 4.985 | 40.9 | 5.100 | 46.9 | 4.815 | 52.9 | 3.915 |
| 35.0 | 5.000 | 41.0 | 5.100 | 47.0 | 4.800 | 53.0 | 3.900 |
| 35.1 | 5.000 | 41.1 | 5.100 | 47.1 | 4.785 | 53.1 | 3.885 |
| 35.2 | 5.000 | 41.2 | 5.100 | 47.2 | 4.770 | 53.2 | 3.870 |
| 35.3 | 5.000 | 41.3 | 5.100 | 47.3 | 4.755 | 53.3 | 3.855 |
| 35.4 | 5.000 | 41.4 | 5.100 | 47.4 | 4.740 | 53.4 | 3.840 |
| 35.5 | 5.000 | 41.5 | 5.100 | 47.5 | 4.725 | 53.5 | 3.825 |
| 35.6 | 5.000 | 41.6 | 5.100 | 47.6 | 4.710 | 53.6 | 3.810 |
| 35.7 | 5.000 | 41.7 | 5.100 | 47.7 | 4.695 | 53.7 | 3.795 |
| 35.8 | 5.000 | 41.8 | 5.100 | 47.8 | 4.680 | 53.8 | 3.780 |
| 35.9 | 5.000 | 41.9 | 5.100 | 47.9 | 4.665 | 53.9 | 3.765 |
| 36.0 | 5.020 | 42.0 | 5.100 | 48.0 | 4.650 | 54.0 | 3.750 |
| 36.1 | 5.020 | 42.1 | 5.100 | 48.1 | 4.635 | 54.1 | 3.735 |
| 36.2 | 5.020 | 42.2 | 5.100 | 48.2 | 4.620 | 54.2 | 3.720 |
| 36.3 | 5.020 | 42.3 | 5.100 | 48.3 | 4.605 | 54.3 | 3.705 |
| 36.4 | 5.020 | 42.4 | 5.100 | 48.4 | 4.590 | 54.4 | 3.690 |
| 36.5 | 5.020 | 42.5 | 5.100 | 48.5 | 4.575 | 54.5 | 3.675 |
| 36.6 | 5.020 | 42.6 | 5.100 | 48.6 | 4.560 | 54.6 | 3.660 |
| 36.7 | 5.020 | 42.7 | 5.100 | 48.7 | 4.545 | 54.7 | 3.645 |
| 36.8 | 5.020 | 42.8 | 5.100 | 48.8 | 4.530 | 54.8 | 3.630 |
| 36.9 | 5.020 | 42.9 | 5.100 | 48.9 | 4.515 | 54.9 | 3.615 |
| 37.0 | 5.040 | 43.0 | 5.100 | 49.0 | 4.500 | 55.0 | 3.600 |
| 37.1 | 5.040 | 43.1 | 5.100 | 49.1 | 4.485 | | |
| 37.2 | 5.040 | 43.2 | 5.100 | 49.2 | 4.470 | | |
| 37.3 | 5.040 | 43.3 | 5.100 | 49.3 | 4.455 | | |
| 37.4 | 5.040 | 43.4 | 5.100 | 49.4 | 4.440 | | |
| 37.5 | 5.040 | 43.5 | 5.100 | 49.5 | 4.425 | | |
| 37.6 | 5.040 | 43.6 | 5.100 | 49.6 | 4.410 | | |
| 37.7 | 5.040 | 43.7 | 5.100 | 49.7 | 4.395 | | |
| 37.8 | 5.040 | 43.8 | 5.100 | 49.8 | 4.380 | | |
| 37.9 | 5.040 | 43.9 | 5.100 | 49.9 | 4.365 | | |
| 38.0 | 5.060 | 44.0 | 5.100 | 50.0 | 4.350 | | |
| 38.1 | 5.060 | 44.1 | 5.100 | 50.1 | 4.335 | | |
| 38.2 | 5.060 | 44.2 | 5.100 | 50.2 | 4.320 | | |
| 38.3 | 5.060 | 44.3 | 5.100 | 50.3 | 4.305 | | |
| 38.4 | 5.060 | 44.4 | 5.100 | 50.4 | 4.290 | | |
| 38.5 | 5.060 | 44.5 | 5.100 | 50.5 | 4.275 | | |
| 38.6 | 5.060 | 44.6 | 5.100 | 50.6 | 4.260 | | |
| 38.7 | 5.060 | 44.7 | 5.100 | 50.7 | 4.245 | | |
| 38.8 | 5.060 | 44.8 | 5.100 | 50.8 | 4.230 | | |
| 38.9 | 5.060 | 44.9 | 5.100 | 50.9 | 4.215 | | |
| 39.0 | 5.080 | 45.0 | 5.100 | 51.0 | 4.200 | | |
| 39.1 | 5.080 | 45.1 | 5.085 | 51.1 | 4.185 | | |
| 39.2 | 5.080 | 45.2 | 5.070 | 51.2 | 4.170 | | |
| 39.3 | 5.080 | 45.3 | 5.055 | 51.3 | 4.155 | | |
| 39.4 | 5.080 | 45.4 | 5.040 | 51.4 | 4.140 | | |
| 39.5 | 5.080 | 45.5 | 5.025 | 51.5 | 4.125 | | |
| 39.6 | 5.080 | 45.6 | 5.010 | 51.6 | 4.110 | | |
| 39.7 | 5.080 | 45.7 | 4.995 | 51.7 | 4.095 | | |
| 39.8 | 5.080 | 45.8 | 4.980 | 51.8 | 4.080 | | |
| 39.9 | 5.080 | 45.9 | 4.965 | 51.9 | 4.065 | | |

For API GRAVITY values above 55.0° API the differential continues to decline 0.015/bbl. per 0.1° API GRAVITY.

[U] All rates on this page remain unchanged.

EIPS QUALITY BANK POLICY

EXHIBIT "B"
ADJUSTMENT AUTHORIZATION

TABLES OF DIFFERENTIALS FOR USE IN DETERMINING ADJUSTMENTS FOR
DIFFERENCE IN SULFUR CONTENT OF CRUDE PETROLEUM IN
EUGENE ISLAND PIPELINE SYSTEM COMMON STREAM EUGENE ISLAND CRUDE

| PERCENT SULFUR | DIFF. PER BBL | PERCENT SULFUR | DIFF. PER BBL | PERCENT SULFUR | DIFF. PER BBL | PERCENT SULFUR | DIFF. PER BBL | PERCENT SULFUR | DIFF. PER BBL |
|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|
| 0.00 | 1.000 | 0.60 | 1.600 | 1.20 | 2.200 | 1.80 | 2.800 | 2.40 | 3.400 |
| 0.01 | 1.010 | 0.61 | 1.610 | 1.21 | 2.210 | 1.81 | 2.810 | 2.41 | 3.410 |
| 0.02 | 1.020 | 0.62 | 1.620 | 1.22 | 2.220 | 1.82 | 2.820 | 2.42 | 3.420 |
| 0.03 | 1.030 | 0.63 | 1.630 | 1.23 | 2.230 | 1.83 | 2.830 | 2.43 | 3.430 |
| 0.04 | 1.040 | 0.64 | 1.640 | 1.24 | 2.240 | 1.84 | 2.840 | 2.44 | 3.440 |
| 0.05 | 1.050 | 0.65 | 1.650 | 1.25 | 2.250 | 1.85 | 2.850 | 2.45 | 3.450 |
| 0.06 | 1.060 | 0.66 | 1.660 | 1.26 | 2.260 | 1.86 | 2.860 | 2.46 | 3.460 |
| 0.07 | 1.070 | 0.67 | 1.670 | 1.27 | 2.270 | 1.87 | 2.870 | 2.47 | 3.470 |
| 0.08 | 1.080 | 0.68 | 1.680 | 1.28 | 2.280 | 1.88 | 2.880 | 2.48 | 3.480 |
| 0.09 | 1.090 | 0.69 | 1.690 | 1.29 | 2.290 | 1.89 | 2.890 | 2.49 | 3.490 |
| 0.10 | 1.100 | 0.70 | 1.700 | 1.30 | 2.300 | 1.90 | 2.900 | 2.50 | 3.500 |
| 0.11 | 1.110 | 0.71 | 1.710 | 1.31 | 2.310 | 1.91 | 2.910 | 2.51 | 3.510 |
| 0.12 | 1.120 | 0.72 | 1.720 | 1.32 | 2.320 | 1.92 | 2.920 | 2.52 | 3.520 |
| 0.13 | 1.130 | 0.73 | 1.730 | 1.33 | 2.330 | 1.93 | 2.930 | 2.53 | 3.530 |
| 0.14 | 1.140 | 0.74 | 1.740 | 1.34 | 2.340 | 1.94 | 2.940 | 2.54 | 3.540 |
| 0.15 | 1.150 | 0.75 | 1.750 | 1.35 | 2.350 | 1.95 | 2.950 | 2.55 | 3.550 |
| 0.16 | 1.160 | 0.76 | 1.760 | 1.36 | 2.360 | 1.96 | 2.960 | 2.56 | 3.560 |
| 0.17 | 1.170 | 0.77 | 1.770 | 1.37 | 2.370 | 1.97 | 2.970 | 2.57 | 3.570 |
| 0.18 | 1.180 | 0.78 | 1.780 | 1.38 | 2.380 | 1.98 | 2.980 | 2.58 | 3.580 |
| 0.19 | 1.190 | 0.79 | 1.790 | 1.39 | 2.390 | 1.99 | 2.990 | 2.59 | 3.590 |
| 0.20 | 1.200 | 0.80 | 1.800 | 1.40 | 2.400 | 2.00 | 3.000 | 2.60 | 3.600 |
| 0.21 | 1.210 | 0.81 | 1.810 | 1.41 | 2.410 | 2.01 | 3.010 | 2.61 | 3.610 |
| 0.22 | 1.220 | 0.82 | 1.820 | 1.42 | 2.420 | 2.02 | 3.020 | 2.62 | 3.620 |
| 0.23 | 1.230 | 0.83 | 1.830 | 1.43 | 2.430 | 2.03 | 3.030 | 2.63 | 3.630 |
| 0.24 | 1.240 | 0.84 | 1.840 | 1.44 | 2.440 | 2.04 | 3.040 | 2.64 | 3.640 |
| 0.25 | 1.250 | 0.85 | 1.850 | 1.45 | 2.450 | 2.05 | 3.050 | 2.65 | 3.650 |
| 0.26 | 1.260 | 0.86 | 1.860 | 1.46 | 2.460 | 2.06 | 3.060 | 2.66 | 3.660 |
| 0.27 | 1.270 | 0.87 | 1.870 | 1.47 | 2.470 | 2.07 | 3.070 | 2.67 | 3.670 |
| 0.28 | 1.280 | 0.88 | 1.880 | 1.48 | 2.480 | 2.08 | 3.080 | 2.68 | 3.680 |
| 0.29 | 1.290 | 0.89 | 1.890 | 1.49 | 2.490 | 2.09 | 3.090 | 2.69 | 3.690 |
| 0.30 | 1.300 | 0.90 | 1.900 | 1.50 | 2.500 | 2.10 | 3.100 | 2.70 | 3.700 |
| 0.31 | 1.310 | 0.91 | 1.910 | 1.51 | 2.510 | 2.11 | 3.110 | 2.71 | 3.710 |
| 0.32 | 1.320 | 0.92 | 1.920 | 1.52 | 2.520 | 2.12 | 3.120 | 2.72 | 3.720 |
| 0.33 | 1.330 | 0.93 | 1.930 | 1.53 | 2.530 | 2.13 | 3.130 | 2.73 | 3.730 |
| 0.34 | 1.340 | 0.94 | 1.940 | 1.54 | 2.540 | 2.14 | 3.140 | 2.74 | 3.740 |
| 0.35 | 1.350 | 0.95 | 1.950 | 1.55 | 2.550 | 2.15 | 3.150 | 2.75 | 3.750 |
| 0.36 | 1.360 | 0.96 | 1.960 | 1.56 | 2.560 | 2.16 | 3.160 | 2.76 | 3.760 |
| 0.37 | 1.370 | 0.97 | 1.970 | 1.57 | 2.570 | 2.17 | 3.170 | 2.77 | 3.770 |
| 0.38 | 1.380 | 0.98 | 1.980 | 1.58 | 2.580 | 2.18 | 3.180 | 2.78 | 3.780 |
| 0.39 | 1.390 | 0.99 | 1.990 | 1.59 | 2.590 | 2.19 | 3.190 | 2.79 | 3.790 |
| 0.40 | 1.400 | 1.00 | 2.000 | 1.60 | 2.600 | 2.20 | 3.200 | 2.80 | 3.800 |
| 0.41 | 1.410 | 1.01 | 2.010 | 1.61 | 2.610 | 2.21 | 3.210 | 2.81 | 3.810 |
| 0.42 | 1.420 | 1.02 | 2.020 | 1.62 | 2.620 | 2.22 | 3.220 | 2.82 | 3.820 |
| 0.43 | 1.430 | 1.03 | 2.030 | 1.63 | 2.630 | 2.23 | 3.230 | 2.83 | 3.830 |
| 0.44 | 1.440 | 1.04 | 2.040 | 1.64 | 2.640 | 2.24 | 3.240 | 2.84 | 3.840 |
| 0.45 | 1.450 | 1.05 | 2.050 | 1.65 | 2.650 | 2.25 | 3.250 | 2.85 | 3.850 |
| 0.46 | 1.460 | 1.06 | 2.060 | 1.66 | 2.660 | 2.26 | 3.260 | 2.86 | 3.860 |
| 0.47 | 1.470 | 1.07 | 2.070 | 1.67 | 2.670 | 2.27 | 3.270 | 2.87 | 3.870 |
| 0.48 | 1.480 | 1.08 | 2.080 | 1.68 | 2.680 | 2.28 | 3.280 | 2.88 | 3.880 |
| 0.49 | 1.490 | 1.09 | 2.090 | 1.69 | 2.690 | 2.29 | 3.290 | 2.89 | 3.890 |
| 0.50 | 1.500 | 1.10 | 2.100 | 1.70 | 2.700 | 2.30 | 3.300 | 2.90 | 3.900 |
| 0.51 | 1.510 | 1.11 | 2.110 | 1.71 | 2.710 | 2.31 | 3.310 | 2.91 | 3.910 |
| 0.52 | 1.520 | 1.12 | 2.120 | 1.72 | 2.720 | 2.32 | 3.320 | 2.92 | 3.920 |
| 0.53 | 1.530 | 1.13 | 2.130 | 1.73 | 2.730 | 2.33 | 3.330 | 2.93 | 3.930 |
| 0.54 | 1.540 | 1.14 | 2.140 | 1.74 | 2.740 | 2.34 | 3.340 | 2.94 | 3.940 |
| 0.55 | 1.550 | 1.15 | 2.150 | 1.75 | 2.750 | 2.35 | 3.350 | 2.95 | 3.950 |
| 0.56 | 1.560 | 1.16 | 2.160 | 1.76 | 2.760 | 2.36 | 3.360 | 2.96 | 3.960 |
| 0.57 | 1.570 | 1.17 | 2.170 | 1.77 | 2.770 | 2.37 | 3.370 | 2.97 | 3.970 |
| 0.58 | 1.580 | 1.18 | 2.180 | 1.78 | 2.780 | 2.38 | 3.380 | 2.98 | 3.980 |
| 0.59 | 1.590 | 1.19 | 2.190 | 1.79 | 2.790 | 2.39 | 3.390 | 2.99 | 3.990 |

[U] All rates on this page remain unchanged.

EXHIBIT "B"
ADJUSTMENT AUTHORIZATION

TABLES OF DIFFERENTIALS FOR USE IN DETERMINING ADJUSTMENTS FOR
DIFFERENCE IN SULFUR CONTENT OF CRUDE PETROLEUM IN
EUGENE ISLAND PIPELINE SYSTEM COMMON STREAM EUGENE ISLAND CRUDE

| PERCENT SULFUR | DIFF. PER BBL | PERCENT SULFUR | DIFF. PER BBL |
|-------------------|------------------|-------------------|------------------|
| 3.00 | 4.000 | 3.60 | 4.600 |
| 3.01 | 4.010 | 3.61 | 4.610 |
| 3.02 | 4.020 | 3.62 | 4.620 |
| 3.03 | 4.030 | 3.63 | 4.630 |
| 3.04 | 4.040 | 3.64 | 4.640 |
| 3.05 | 4.050 | 3.65 | 4.650 |
| 3.06 | 4.060 | 3.66 | 4.660 |
| 3.07 | 4.070 | 3.67 | 4.670 |
| 3.08 | 4.080 | 3.68 | 4.680 |
| 3.09 | 4.090 | 3.69 | 4.690 |
| 3.10 | 4.100 | 3.70 | 4.700 |
| 3.11 | 4.110 | 3.71 | 4.710 |
| 3.12 | 4.120 | 3.72 | 4.720 |
| 3.13 | 4.130 | 3.73 | 4.730 |
| 3.14 | 4.140 | 3.74 | 4.740 |
| 3.15 | 4.150 | 3.75 | 4.750 |
| 3.16 | 4.160 | 3.76 | 4.760 |
| 3.17 | 4.170 | 3.77 | 4.770 |
| 3.18 | 4.180 | 3.78 | 4.780 |
| 3.19 | 4.190 | 3.79 | 4.790 |
| 3.20 | 4.200 | 3.80 | 4.800 |
| 3.21 | 4.210 | 3.81 | 4.810 |
| 3.22 | 4.220 | 3.82 | 4.820 |
| 3.23 | 4.230 | 3.83 | 4.830 |
| 3.24 | 4.240 | 3.84 | 4.840 |
| 3.25 | 4.250 | 3.85 | 4.850 |
| 3.26 | 4.260 | 3.86 | 4.860 |
| 3.27 | 4.270 | 3.87 | 4.870 |
| 3.28 | 4.280 | 3.88 | 4.880 |
| 3.29 | 4.290 | 3.89 | 4.890 |
| 3.30 | 4.300 | 3.90 | 4.900 |
| 3.31 | 4.310 | 3.91 | 4.910 |
| 3.32 | 4.320 | 3.92 | 4.920 |
| 3.33 | 4.330 | 3.93 | 4.930 |
| 3.34 | 4.340 | 3.94 | 4.940 |
| 3.35 | 4.350 | 3.95 | 4.950 |
| 3.36 | 4.360 | 3.96 | 4.960 |
| 3.37 | 4.370 | 3.97 | 4.970 |
| 3.38 | 4.380 | 3.98 | 4.980 |
| 3.39 | 4.390 | 3.99 | 4.990 |
| 3.40 | 4.400 | 4.00 | 5.000 |
| 3.41 | 4.410 | | |
| 3.42 | 4.420 | | |
| 3.43 | 4.430 | | |
| 3.44 | 4.440 | | |
| 3.45 | 4.450 | | |
| 3.46 | 4.460 | | |
| 3.47 | 4.470 | | |
| 3.48 | 4.480 | | |
| 3.49 | 4.490 | | |
| 3.50 | 4.500 | | |
| 3.51 | 4.510 | | |
| 3.52 | 4.520 | | |
| 3.53 | 4.530 | | |
| 3.54 | 4.540 | | |
| 3.55 | 4.550 | | |
| 3.56 | 4.560 | | |
| 3.57 | 4.570 | | |
| 3.58 | 4.580 | | |
| 3.59 | 4.590 | | |

For Sulfur Values
above 4.00%, the
differential continues
to increase 0.01/BBL
per 0.01 Percent
Sulfur

[U] All rates on this page remain unchanged.

EIPS QUALITY BANK POLICY

EXHIBIT "C"
ADJUSTMENT AUTHORIZATION

RATIO FACTORS FOR SULFUR ADJUSTMENT
WEIGHT OF CRUDE BY GRAVITY TO REFERENCE BASE OF 35.5° API GRAVITY
EUGENE ISLAND PIPELINE SYSTEM COMMON STREAM EUGENE ISLAND CRUDE

| API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. |
|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|--------------------|
| 10.0 | 1.18044 | 16.0 | 1.13239 | 22.0 | 1.08802 | 28.0 | 1.04706 | 34.0 | 1.00907 | 40.0 | 0.97378 |
| 10.1 | 1.17959 | 16.1 | 1.13168 | 22.1 | 1.08731 | 28.1 | 1.04649 | 34.1 | 1.00850 | 40.1 | 0.97321 |
| 10.2 | 1.17888 | 16.2 | 1.13083 | 22.2 | 1.08661 | 28.2 | 1.04578 | 34.2 | 1.00780 | 40.2 | 0.97264 |
| 10.3 | 1.17803 | 16.3 | 1.13012 | 22.3 | 1.08590 | 28.3 | 1.04507 | 34.3 | 1.00723 | 40.3 | 0.97208 |
| 10.4 | 1.17718 | 16.4 | 1.12927 | 22.4 | 1.08519 | 28.4 | 1.04451 | 34.4 | 1.00666 | 40.4 | 0.97151 |
| 10.5 | 1.17633 | 16.5 | 1.12856 | 22.5 | 1.08448 | 28.5 | 1.04380 | 34.5 | 1.00609 | 40.5 | 0.97094 |
| 10.6 | 1.17548 | 16.6 | 1.12785 | 22.6 | 1.08377 | 28.6 | 1.04323 | 34.6 | 1.00553 | 40.6 | 0.97038 |
| 10.7 | 1.17463 | 16.7 | 1.12700 | 22.7 | 1.08320 | 28.7 | 1.04252 | 34.7 | 1.00482 | 40.7 | 0.96981 |
| 10.8 | 1.17378 | 16.8 | 1.12629 | 22.8 | 1.08249 | 28.8 | 1.04181 | 34.8 | 1.00425 | 40.8 | 0.96924 |
| 10.9 | 1.17307 | 16.9 | 1.12558 | 22.9 | 1.08179 | 28.9 | 1.04125 | 34.9 | 1.00369 | 40.9 | 0.96867 |
| 11.0 | 1.17222 | 17.0 | 1.12473 | 23.0 | 1.08108 | 29.0 | 1.04054 | 35.0 | 1.00298 | 41.0 | 0.96811 |
| 11.1 | 1.17137 | 17.1 | 1.12403 | 23.1 | 1.08037 | 29.1 | 1.03997 | 35.1 | 1.00241 | 41.1 | 0.96754 |
| 11.2 | 1.17052 | 17.2 | 1.12332 | 23.2 | 1.07966 | 29.2 | 1.03926 | 35.2 | 1.00184 | 41.2 | 0.96697 |
| 11.3 | 1.16967 | 17.3 | 1.12247 | 23.3 | 1.07895 | 29.3 | 1.03855 | 35.3 | 1.00128 | 41.3 | 0.96641 |
| 11.4 | 1.16886 | 17.4 | 1.12176 | 23.4 | 1.07824 | 29.4 | 1.03799 | 35.4 | 1.00057 | 41.4 | 0.96584 |
| 11.5 | 1.16811 | 17.5 | 1.12105 | 23.5 | 1.07753 | 29.5 | 1.03728 | 35.5 | 1.00000 | 41.5 | 0.96527 |
| 11.6 | 1.16726 | 17.6 | 1.12020 | 23.6 | 1.07682 | 29.6 | 1.03671 | 35.6 | 0.99943 | 41.6 | 0.96471 |
| 11.7 | 1.16641 | 17.7 | 1.11949 | 23.7 | 1.07612 | 29.7 | 1.03600 | 35.7 | 0.99887 | 41.7 | 0.96414 |
| 11.8 | 1.16570 | 17.8 | 1.11878 | 23.8 | 1.07541 | 29.8 | 1.03544 | 35.8 | 0.99831 | 41.8 | 0.96357 |
| 11.9 | 1.16485 | 17.9 | 1.11793 | 23.9 | 1.07470 | 29.9 | 1.03473 | 35.9 | 0.99759 | 41.9 | 0.96300 |
| 12.0 | 1.16400 | 18.0 | 1.11722 | 24.0 | 1.07413 | 30.0 | 1.03416 | 36.0 | 0.99702 | 42.0 | 0.96244 |
| 12.1 | 1.16315 | 18.1 | 1.11651 | 24.1 | 1.07342 | 30.1 | 1.03345 | 36.1 | 0.99646 | 42.1 | 0.96187 |
| 12.2 | 1.16244 | 18.2 | 1.11580 | 24.2 | 1.07271 | 30.2 | 1.03288 | 36.2 | 0.99589 | 42.2 | 0.96145 |
| 12.3 | 1.16159 | 18.3 | 1.11495 | 24.3 | 1.07201 | 30.3 | 1.03218 | 36.3 | 0.99518 | 42.3 | 0.96088 |
| 12.4 | 1.16074 | 18.4 | 1.11425 | 24.4 | 1.07130 | 30.4 | 1.03161 | 36.4 | 0.99461 | 42.4 | 0.96031 |
| 12.5 | 1.16003 | 18.5 | 1.11354 | 24.5 | 1.07059 | 30.5 | 1.03090 | 36.5 | 0.99405 | 42.5 | 0.95974 |
| 12.6 | 1.15918 | 18.6 | 1.11283 | 24.6 | 1.06988 | 30.6 | 1.03033 | 36.6 | 0.99348 | 42.6 | 0.95918 |
| 12.7 | 1.15833 | 18.7 | 1.11198 | 24.7 | 1.06931 | 30.7 | 1.02962 | 36.7 | 0.99291 | 42.7 | 0.95861 |
| 12.8 | 1.15748 | 18.8 | 1.11127 | 24.8 | 1.06860 | 30.8 | 1.02906 | 36.8 | 0.99220 | 42.8 | 0.95804 |
| 12.9 | 1.15677 | 18.9 | 1.11056 | 24.9 | 1.06790 | 30.9 | 1.02835 | 36.9 | 0.99164 | 42.9 | 0.95748 |
| 13.0 | 1.15592 | 19.0 | 1.10985 | 25.0 | 1.06719 | 31.0 | 1.02778 | 37.0 | 0.99107 | 43.0 | 0.95691 |
| 13.1 | 1.15521 | 19.1 | 1.10900 | 25.1 | 1.06648 | 31.1 | 1.02707 | 37.1 | 0.99050 | 43.1 | 0.95634 |
| 13.2 | 1.15436 | 19.2 | 1.10829 | 25.2 | 1.06577 | 31.2 | 1.02651 | 37.2 | 0.98994 | 43.2 | 0.95578 |
| 13.3 | 1.15351 | 19.3 | 1.10758 | 25.3 | 1.06520 | 31.3 | 1.02580 | 37.3 | 0.98937 | 43.3 | 0.95535 |
| 13.4 | 1.15280 | 19.4 | 1.10687 | 25.4 | 1.06449 | 31.4 | 1.02523 | 37.4 | 0.98880 | 43.4 | 0.95478 |
| 13.5 | 1.15195 | 19.5 | 1.10617 | 25.5 | 1.06378 | 31.5 | 1.02452 | 37.5 | 0.98809 | 43.5 | 0.95422 |
| 13.6 | 1.15110 | 19.6 | 1.10532 | 25.6 | 1.06308 | 31.6 | 1.02395 | 37.6 | 0.98753 | 43.6 | 0.95365 |
| 13.7 | 1.15039 | 19.7 | 1.10461 | 25.7 | 1.06251 | 31.7 | 1.02339 | 37.7 | 0.98696 | 43.7 | 0.95308 |
| 13.8 | 1.14954 | 19.8 | 1.10390 | 25.8 | 1.06180 | 31.8 | 1.02268 | 37.8 | 0.98639 | 43.8 | 0.95266 |
| 13.9 | 1.14883 | 19.9 | 1.10319 | 25.9 | 1.06109 | 31.9 | 1.02211 | 37.9 | 0.98583 | 43.9 | 0.95209 |
| 14.0 | 1.14798 | 20.0 | 1.10248 | 26.0 | 1.06038 | 32.0 | 1.02140 | 38.0 | 0.98526 | 44.0 | 0.95152 |
| 14.1 | 1.14713 | 20.1 | 1.10177 | 26.1 | 1.05967 | 32.1 | 1.02084 | 38.1 | 0.98469 | 44.1 | 0.95096 |
| 14.2 | 1.14642 | 20.2 | 1.10106 | 26.2 | 1.05911 | 32.2 | 1.02013 | 38.2 | 0.98412 | 44.2 | 0.95039 |
| 14.3 | 1.14557 | 20.3 | 1.10021 | 26.3 | 1.05840 | 32.3 | 1.01956 | 38.3 | 0.98356 | 44.3 | 0.94982 |
| 14.4 | 1.14486 | 20.4 | 1.09950 | 26.4 | 1.05769 | 32.4 | 1.01899 | 38.4 | 0.98285 | 44.4 | 0.94940 |
| 14.5 | 1.14401 | 20.5 | 1.09880 | 26.5 | 1.05698 | 32.5 | 1.01828 | 38.5 | 0.98228 | 44.5 | 0.94883 |
| 14.6 | 1.14330 | 20.6 | 1.09809 | 26.6 | 1.05641 | 32.6 | 1.01772 | 38.6 | 0.98172 | 44.6 | 0.94826 |
| 14.7 | 1.14245 | 20.7 | 1.09738 | 26.7 | 1.05571 | 32.7 | 1.01715 | 38.7 | 0.98115 | 44.7 | 0.94770 |
| 14.8 | 1.14174 | 20.8 | 1.09667 | 26.8 | 1.05500 | 32.8 | 1.01644 | 38.8 | 0.98058 | 44.8 | 0.94713 |
| 14.9 | 1.14089 | 20.9 | 1.09596 | 26.9 | 1.05443 | 32.9 | 1.01588 | 38.9 | 0.98001 | 44.9 | 0.94670 |
| 15.0 | 1.14018 | 21.0 | 1.09525 | 27.0 | 1.05372 | 33.0 | 1.01517 | 39.0 | 0.97945 | 45.0 | 0.94614 |
| 15.1 | 1.13933 | 21.1 | 1.09454 | 27.1 | 1.05301 | 33.1 | 1.01460 | 39.1 | 0.97888 | 45.1 | 0.94557 |
| 15.2 | 1.13863 | 21.2 | 1.09383 | 27.2 | 1.05245 | 33.2 | 1.01403 | 39.2 | 0.97831 | 45.2 | 0.94500 |
| 15.3 | 1.13777 | 21.3 | 1.09313 | 27.3 | 1.05174 | 33.3 | 1.01332 | 39.3 | 0.97775 | 45.3 | 0.94444 |
| 15.4 | 1.13707 | 21.4 | 1.09242 | 27.4 | 1.05103 | 33.4 | 1.01276 | 39.4 | 0.97718 | 45.4 | 0.94401 |
| 15.5 | 1.13622 | 21.5 | 1.09171 | 27.5 | 1.05046 | 33.5 | 1.01219 | 39.5 | 0.97661 | 45.5 | 0.94344 |
| 15.6 | 1.13551 | 21.6 | 1.09086 | 27.6 | 1.04975 | 33.6 | 1.01148 | 39.6 | 0.97605 | 45.6 | 0.94288 |
| 15.7 | 1.13466 | 21.7 | 1.09015 | 27.7 | 1.04904 | 33.7 | 1.01091 | 39.7 | 0.97548 | 45.7 | 0.94231 |
| 15.8 | 1.13395 | 21.8 | 1.08944 | 27.8 | 1.04848 | 33.8 | 1.01035 | 39.8 | 0.97491 | 45.8 | 0.94189 |
| 15.9 | 1.13324 | 21.9 | 1.08873 | 27.9 | 1.04777 | 33.9 | 1.00964 | 39.9 | 0.97434 | 45.9 | 0.94132 |

[U] All rates on this page remain unchanged.

EIPS QUALITY BANK POLICY

EXHIBIT "C" (CON'T)
ADJUSTMENT AUTHORIZATION

RATIO FACTORS FOR SULFUR ADJUSTMENT
WEIGHT OF CRUDE BY GRAVITY TO REFERENCE BASE OF 35.5° API GRAVITY
EUGENE ISLAND PIPELINE SYSTEM COMMON STREAM EUGENE ISLAND CRUDE

| API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. | API GRAVITY | RATIO TO 35.5° WT. |
|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|--------------------|
| 46.0 | 0.94075 | 52.0 | 0.90999 | 58.0 | 0.88108 | 64.0 | 0.85400 | 70.0 | 0.82849 |
| 46.1 | 0.94018 | 52.1 | 0.90943 | 58.1 | 0.88085 | 64.1 | 0.85358 | 70.1 | 0.82807 |
| 46.2 | 0.93976 | 52.2 | 0.90900 | 58.2 | 0.88009 | 64.2 | 0.85315 | 70.2 | 0.82764 |
| 46.3 | 0.93919 | 52.3 | 0.90843 | 58.3 | 0.87966 | 64.3 | 0.85273 | 70.3 | 0.82721 |
| 46.4 | 0.93863 | 52.4 | 0.90801 | 58.4 | 0.87923 | 64.4 | 0.85230 | 70.4 | 0.82679 |
| 46.5 | 0.93806 | 52.5 | 0.90744 | 58.5 | 0.87867 | 64.5 | 0.85188 | 70.5 | 0.82651 |
| 46.6 | 0.93763 | 52.6 | 0.90702 | 58.6 | 0.87824 | 64.6 | 0.85145 | 70.6 | 0.82608 |
| 46.7 | 0.93707 | 52.7 | 0.90645 | 58.7 | 0.87782 | 64.7 | 0.85103 | 70.7 | 0.82566 |
| 46.8 | 0.93650 | 52.8 | 0.90602 | 58.8 | 0.87739 | 64.8 | 0.85046 | 70.8 | 0.82537 |
| 46.9 | 0.93607 | 52.9 | 0.90546 | 58.9 | 0.87697 | 64.9 | 0.85004 | 70.9 | 0.82495 |
| 47.0 | 0.93551 | 53.0 | 0.90503 | 59.0 | 0.87654 | 65.0 | 0.84961 | 71.0 | 0.82452 |
| 47.1 | 0.93494 | 53.1 | 0.90446 | 59.1 | 0.87597 | 65.1 | 0.84918 | 71.1 | 0.82410 |
| 47.2 | 0.93437 | 53.2 | 0.90404 | 59.2 | 0.87555 | 65.2 | 0.84876 | 71.2 | 0.82367 |
| 47.3 | 0.93395 | 53.3 | 0.90361 | 59.3 | 0.87512 | 65.3 | 0.84833 | 71.3 | 0.82325 |
| 47.4 | 0.93338 | 53.4 | 0.90305 | 59.4 | 0.87456 | 65.4 | 0.84791 | 71.4 | 0.82282 |
| 47.5 | 0.93281 | 53.5 | 0.90262 | 59.5 | 0.87413 | 65.5 | 0.84746 | 71.5 | 0.82240 |
| 47.6 | 0.93239 | 53.6 | 0.90206 | 59.6 | 0.87371 | 65.6 | 0.84706 | 71.6 | 0.82197 |
| 47.7 | 0.93182 | 53.7 | 0.90163 | 59.7 | 0.87328 | 65.7 | 0.84663 | 71.7 | 0.82155 |
| 47.8 | 0.93125 | 53.8 | 0.90106 | 59.8 | 0.87286 | 65.8 | 0.84621 | 71.8 | 0.82112 |
| 47.9 | 0.93083 | 53.9 | 0.90064 | 59.9 | 0.87229 | 65.9 | 0.84578 | 71.9 | 0.82084 |
| 48.0 | 0.93026 | 54.0 | 0.90007 | 60.0 | 0.87186 | 66.0 | 0.84536 | 72.0 | 0.82041 |
| 48.1 | 0.92970 | 54.1 | 0.89965 | 60.1 | 0.87144 | 66.1 | 0.84493 | 72.1 | 0.81999 |
| 48.2 | 0.92927 | 54.2 | 0.89922 | 60.2 | 0.87087 | 66.2 | 0.84451 | 72.2 | 0.81956 |
| 48.3 | 0.92870 | 54.3 | 0.89865 | 60.3 | 0.87045 | 66.3 | 0.84408 | 72.3 | 0.81914 |
| 48.4 | 0.92814 | 54.4 | 0.89823 | 60.4 | 0.87002 | 66.4 | 0.84366 | 72.4 | 0.81871 |
| 48.5 | 0.92771 | 54.5 | 0.89766 | 60.5 | 0.86960 | 66.5 | 0.84323 | 72.5 | 0.81828 |
| 48.6 | 0.92714 | 54.6 | 0.89724 | 60.6 | 0.86917 | 66.6 | 0.84281 | 72.6 | 0.81800 |
| 48.7 | 0.92672 | 54.7 | 0.89681 | 60.7 | 0.86875 | 66.7 | 0.84238 | 72.7 | 0.81758 |
| 48.8 | 0.92615 | 54.8 | 0.89624 | 60.8 | 0.86818 | 66.8 | 0.84196 | 72.8 | 0.81715 |
| 48.9 | 0.92558 | 54.9 | 0.89582 | 60.9 | 0.86775 | 66.9 | 0.84153 | 72.9 | 0.81673 |
| 49.0 | 0.92516 | 55.0 | 0.89525 | 61.0 | 0.86733 | 67.0 | 0.84111 | 73.0 | 0.81630 |
| 49.1 | 0.92459 | 55.1 | 0.89483 | 61.1 | 0.86690 | 67.1 | 0.84068 | 73.1 | 0.81602 |
| 49.2 | 0.92403 | 55.2 | 0.89440 | 61.2 | 0.86648 | 67.2 | 0.84026 | 73.2 | 0.81559 |
| 49.3 | 0.92360 | 55.3 | 0.89383 | 61.3 | 0.86591 | 67.3 | 0.83983 | 73.3 | 0.81517 |
| 49.4 | 0.92303 | 55.4 | 0.89341 | 61.4 | 0.86549 | 67.4 | 0.83940 | 73.4 | 0.81474 |
| 49.5 | 0.92261 | 55.5 | 0.89285 | 61.5 | 0.86506 | 67.5 | 0.83898 | 73.5 | 0.81432 |
| 49.6 | 0.92204 | 55.6 | 0.89242 | 61.6 | 0.86464 | 67.6 | 0.83855 | 73.6 | 0.81403 |
| 49.7 | 0.92147 | 55.7 | 0.89199 | 61.7 | 0.86421 | 67.7 | 0.83813 | 73.7 | 0.81361 |
| 49.8 | 0.92105 | 55.8 | 0.89157 | 61.8 | 0.86378 | 67.8 | 0.83770 | 73.8 | 0.81318 |
| 49.9 | 0.92048 | 55.9 | 0.89114 | 61.9 | 0.86322 | 67.9 | 0.83728 | 73.9 | 0.81276 |
| 50.0 | 0.92006 | 56.0 | 0.89057 | 62.0 | 0.86279 | 68.0 | 0.83685 | 74.0 | 0.81233 |
| 50.1 | 0.91949 | 56.1 | 0.89015 | 62.1 | 0.86237 | 68.1 | 0.83643 | 74.1 | 0.81191 |
| 50.2 | 0.91892 | 56.2 | 0.88958 | 62.2 | 0.86194 | 68.2 | 0.83600 | 74.2 | 0.81162 |
| 50.3 | 0.91850 | 56.3 | 0.88916 | 62.3 | 0.86152 | 68.3 | 0.83558 | 74.3 | 0.81120 |
| 50.4 | 0.91793 | 56.4 | 0.88873 | 62.4 | 0.86109 | 68.4 | 0.83515 | 74.4 | 0.81077 |
| 50.5 | 0.91751 | 56.5 | 0.88816 | 62.5 | 0.86067 | 68.5 | 0.83473 | 74.5 | 0.81049 |
| 50.6 | 0.91694 | 56.6 | 0.88774 | 62.6 | 0.86010 | 68.6 | 0.83430 | 74.6 | 0.81006 |
| 50.7 | 0.91651 | 56.7 | 0.88717 | 62.7 | 0.85967 | 68.7 | 0.83388 | 74.7 | 0.80964 |
| 50.8 | 0.91595 | 56.8 | 0.88675 | 62.8 | 0.85925 | 68.8 | 0.83345 | 74.8 | 0.80921 |
| 50.9 | 0.91552 | 56.9 | 0.88632 | 62.9 | 0.85882 | 68.9 | 0.83303 | 74.9 | 0.80879 |
| 51.0 | 0.91495 | 57.0 | 0.88575 | 63.0 | 0.85840 | 69.0 | 0.83260 | | |
| 51.1 | 0.91439 | 57.1 | 0.88533 | 63.1 | 0.85797 | 69.1 | 0.83218 | | |
| 51.2 | 0.91396 | 57.2 | 0.88490 | 63.2 | 0.85755 | 69.2 | 0.83175 | | |
| 51.3 | 0.91339 | 57.3 | 0.88448 | 63.3 | 0.85712 | 69.3 | 0.83147 | | |
| 51.4 | 0.91297 | 57.4 | 0.88391 | 63.4 | 0.85670 | 69.4 | 0.83104 | | |
| 51.5 | 0.91240 | 57.5 | 0.88349 | 63.5 | 0.85613 | 69.5 | 0.83062 | | |
| 51.6 | 0.91198 | 57.6 | 0.88292 | 63.6 | 0.85571 | 69.6 | 0.83019 | | |
| 51.7 | 0.91141 | 57.7 | 0.88249 | 63.7 | 0.85528 | 69.7 | 0.82977 | | |
| 51.8 | 0.91099 | 57.8 | 0.88207 | 63.8 | 0.85485 | 69.8 | 0.82934 | | |
| 51.9 | 0.91042 | 57.9 | 0.88150 | 63.9 | 0.85443 | 69.9 | 0.82892 | | |

[U] All rates on this page remain unchanged.

EIPS QUALITY BANK POLICY

EXHIBIT "D"

SAMPLE QUALITY BANK CALCULATION
EUGENE ISLAND PIPELINE SYSTEM COMMON STREAM EUGENE ISLAND CRUDE

| SHIPPER | CARRIER | BARRELS RECEIVED | PERCENT SULFUR | API GRAVITY | FROM EXHIBIT "C" RATIO TO 35.5° WT. | PERCENT SULFUR TIMES RATIO | FROM EXHIBIT "B" SULFUR DIFFERENTIAL | FROM EXHIBIT "A" GRAVITY DIFFERENTIAL | BARRELS RECEIVED X SULFUR DIFFERENTIAL | BARRELS RECEIVED X GRAVITY DIFFERENTIAL |
|--------------|---------|------------------|----------------|-------------|-------------------------------------|----------------------------|--------------------------------------|---------------------------------------|--|---|
| A | 1 | 100.00 | 0.92 | 29.8 | 1.03544 | 0.95 | 1.950 | 4.220 | 195.00 | 422.00 |
| A | 2 | 150.00 | 0.36 | 38.6 | 0.98172 | 0.35 | 1.350 | 5.060 | 202.50 | 759.00 |
| B | 1 | 100.00 | 0.42 | 36.4 | 0.99461 | 0.42 | 1.420 | 5.020 | 142.00 | 502.00 |
| B | 1 | 200.00 | 0.78 | 46.2 | 0.93976 | 0.73 | 1.730 | 4.920 | 346.00 | 984.00 |
| C | 2 | 50.00 | 0.66 | 32.8 | 1.01644 | 0.67 | 1.670 | 4.670 | 83.50 | 233.50 |
| C | 2 | 50.00 | 0.81 | 30.1 | 1.03345 | 0.84 | 1.840 | 4.265 | 92.00 | 213.25 |
| TOTAL | | 650.00 | | | | | | | 1061.00 | 3113.75 |

Common stream weighted average GRAVITY value: 3113.75/650.00 = 4.79038
Common stream weighted average SULFUR value: 1061.00/650.00 = 1.63231

Shipper A; Carrier 1:

Weighted average GRAVITY value: 422.00/100 = 4.22000
Calculation: (4.79038-4.22) X 100 = \$57.04
Weighted average SULFUR value: 195.00/100 = 1.95000
Calculation: (1.95-1.63231) X 100 = \$31.77
Shipper A; Carrier 1 Total: \$88.81

Shipper A; Carrier 2:

Weighted average GRAVITY value: 759.00/150 = 5.06000
Calculation: (4.79038-5.06) X 150 = (\$40.44)
Weighted average SULFUR value: 202.50/150 = 1.35000
Calculation: (1.35-1.63231) X 150 = (\$42.35)
Shipper A; Carrier 2 Total: (\$82.79)

TOTAL, Shipper A pays the bank: \$6.02

Shipper B; Carrier 1:

Weighted average GRAVITY value: 1486.00/300 = 4.95333
Calculation: (4.79038-4.95333) X 300 = (\$48.89)
Weighted average SULFUR value: 488.00/300 = 1.626667
Calculation: (1.626667-1.63231) X 300 = (\$1.69)
Shipper B; Carrier 1 Total: (\$50.58)

TOTAL, Shipper B receives from the bank: (\$50.58)

Shipper C; Carrier 2:

Weighted average GRAVITY value: 446.75/100 = 4.46750
Calculation: (4.79038-4.4675) X 100 = \$32.29
Weighted average SULFUR value: 175.50/100 = 1.75500
Calculation: (1.7550-1.63231) X 100 = \$12.27
Shipper C; Carrier 2 Total: \$44.56

TOTAL, Shipper C pays the bank: \$44.56

NET \$0.00

EXPLANATION OF REFERENCE MARKS AND ABBREVIATIONS:

- EIPS** Eugene Island Pipeline System
- [C]** Cancel
- [W]** Change in Wording Only
- [U]** Unchanged rate

[C] Chevron Pipe Line Company (Chevron)
[C] Conoco Offshore Pipe Line Company (Conoco)
[C] ExxonMobil Pipeline Company (ExxonMobil)
[C] Marathon Pipe Line LLC (Marathon)
Mobil Eugene Island Pipeline Company (Mobil)
[C] Shell Pipeline Company LP (Shell)

**QUALITY BANK POLICY
FOR THE
EUGENE ISLAND PIPELINE SYSTEM**

GENERAL APPLICATION

This tariff shall apply only to those tariffs which specifically incorporate this tariff, supplements hereto or successive reissues thereof, by reference.

This tariff brings forward ExxonMobil Pipeline Company's F.E.R.C. No. 111 unchanged.

The provisions published herein will, if effective, not result in an effect on the quality of the human environment.

ISSUED: SEPTEMBER 2, 2005

EFFECTIVE: OCTOBER 3, 2005

Issued By:
[W] Thomas J. Martenak, President
Mobil Eugene Island Pipeline Company
P.O. Box 2220
Houston, TX 77252-2220

Compiled By:
[W] A. J. Signater
P.O. Box 2220
Houston, Texas 77252-2220
(713) 656-4968
Fax (713) 656-9586